



# UNITED STATES PATENT AND TRADEMARK OFFICE

11A  
UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/522,334

01/25/2005

Yasuhiko Nishimura

122518

8803

25944 7590 02/07/2007  
OLIFF & BERRIDGE, PLC  
P.O. BOX 19928  
ALEXANDRIA, VA 22320

EXAMINER

LUKS, JEREMY AUSTIN

ART UNIT

PAPER NUMBER

2837

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

02/07/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<p align="center"><b>Office Action Summary</b></p>	<p>Application No.</p> <p align="center">10/522,334</p>	<p>Applicant(s)</p> <p align="center">NISHIMURA, YASUHIKO</p>	
	<p>Examiner</p> <p align="center">Jeremy Luks</p>	<p>Art Unit</p> <p align="center">2837</p>	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 December 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-13 and 15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-13 and 15 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| <p>1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)</p> <p>2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)</p> <p>3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br/> Paper No(s)/Mail Date <u>1/25/05, 2/16/05, 8/31/06</u>.</p> | <p>4) <input type="checkbox"/> Interview Summary (PTO-413)<br/> Paper No(s)/Mail Date. _____.</p> <p>5) <input type="checkbox"/> Notice of Informal Patent Application</p> <p>6) <input type="checkbox"/> Other: _____.</p> |
|---|---|

**DETAILED ACTION**

***Election/Restrictions***

1. The Examiner has withdrawn the Species Restriction Requirement mailed 11/14/06 based on Applicant's traversal that the species are all sufficiently related.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 13 is rejected under 35 U.S.C. 102(b) as being anticipated by Gahlau (4,705,139). Gahlau teaches a sound-absorbing unit (Figure 2) comprising: a partition plate having a plurality of recesses (1) formed in a first side (side near #5) thereof, each of said recesses (1) having an opening with a predetermined shape on the first side; and a sound-absorbing material (4) (Col. 5, Lines 18-21) provided on the first side (side near #5) of the partition plate to cover the openings of the recesses (1), wherein each of the recesses has a cross-sectional area that gradually varies with a depth of the recess (1) (clearly show in Figure 2).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2837

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gahlau (4,705,139). Gahlau is relied upon for the reasons and disclosures set forth above. Gahlau fails to teach wherein the thickness of air spaces behind the sound-absorbing material is set to odd multiples of one-fourth of the wavelength of sound waves of target frequencies. However, It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the thickness of air spaces behind the sound-absorbing material set to odd multiples of one-fourth of the wavelength of sound waves of target frequencies, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working range involves only routine skill in the art. In re Aller, 105 USPQ 233. Further, such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. In re Rose, 105 USPQ 237 (CCPA 1955).
4. Claims 1 and 2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zaima (5,134,014) in view of Roller (6,186,2701). Zaima teaches a sound-absorbing structure (Figure 5, #10), comprising: a substantially flat base (11); a substantially flat sound-absorbing material (14) arranged substantially parallel to the base (11); and a corrugated partition plate (12) interposed between the base (11) and the sound-absorbing material (14), the corrugated partition plate (12) having upper antinode portions opposed to the sound-absorbing material (14) and lower antinode portions opposed to the base (11); wherein the lower antinode portions of the corrugated partition plate (12) are at least partially separated from the base (11); wherein parts of

Art Unit: 2837

the lower antinode portions of the corrugated partition plate are supported via an elastic element (18 – foam #18 can be a flexible foam having elastic characteristics) (Col. 5, Lines 64-67) by low-vibration portions of the support base. Zaima fails to teach wherein the base element is a support base. Roller teaches a substantially flat support base (Figure 2, #1). It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the apparatus of Zaima, with the apparatus of Roller to provide better structural support for the headliner.

5. Claims 3-7 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zaima (5,134,014) in view of Nishimura (JP 11-161282). Zaima teaches a sound-absorbing unit (Figure 5, #10) comprising: a corrugated partition plate (12) having a first side and a second side opposite to the first side; a substantially flat sound-absorbing material (14) provided on the first side of the corrugated partition plate (12); a second sound-absorbing material (18) provided on the second side of the corrugated partition plate (12); and wherein the corrugated partition plate (12) includes a sine wave pattern. Zaima fails to teach at least one second partition plate configured to partition air spaces defined between the sound-absorbing material and the corrugated partition plate; wherein the second partition plate extends in a direction substantially perpendicular to a direction in which antinode portions of the corrugated partition plate extend; wherein the second partition plate is provided only on the first side of the corrugated partition plate; wherein the corrugated partition plate includes a wave pattern whose phase is shifted at an intersection of the corrugated partition plate and the second partition plate; wherein the corrugated partition plate includes a wave pattern whose amplitude is varied at an intersection of the corrugated partition plate and the second partition plate. Nishimura teaches at least one second partition plate (Figure 5, #54) configured to partition air

Art Unit: 2837

spaces (acknowledged by Applicant on Page 1, Paragraph 2 of the Specification) defined between the sound-absorbing material and the corrugated partition plate when used in combination with Zaima; wherein the second partition plate (54) extends in a direction substantially perpendicular to a direction in which antinode portions of the corrugated partition plate extend when used in combination with Zaima; wherein the second partition plate (54) is provided only on the first side of the corrugated partition plate (#42, when used in combination with Zaima); and wherein the corrugated partition plate includes a wave pattern whose phase is shifted at an intersection of the corrugated partition plate and the second partition plate (54) when used in combination. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the apparatus of Zaima, with the apparatus of Nishimura to improve the sound-absorbing coefficient by dividing the air layer.

6. Claims 8 and 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zaima (5,134,014) in view of Nishimura (JP 11-161282), as applied to claim 3, and further in view of Roller (6,186,2701). Zaima and Nishimura are relied upon for the reasons and disclosures set forth above. Zaima further teaches a corrugated partition plate (Figure 5, #12). Nishimura further teaches second partition plate (Figure 5, #54). Zaima and Nishimura fail to teach wherein the corrugated partition plate includes a rectangular wave pattern; wherein the corrugated partition plate includes wave patterns with different frequencies; wherein the corrugated partition plate includes wave patterns with different amplitudes; and wherein the corrugated partition plate includes a wave pattern whose amplitude is varied at an intersection of the corrugated partition plate and the second partition plate. Roller teaches corrugated partition plate including a rectangular wave pattern (Figure 7, #2); wherein the corrugated partition (2) plate

Art Unit: 2837

includes wave patterns with different frequencies (See varied lengths of plates defining frequencies); wherein the corrugated partition (2) plate includes wave patterns with different amplitudes (See varied heights of plates defining amplitude); and wherein the corrugated partition plate includes a wave pattern whose amplitude is varied at an intersection of the corrugated partition plate (2) and the second partition plate, when combined with Zaima as modified. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the apparatus of Zaima as modified, with the apparatus of Roller to absorb a wide range of frequencies and amplitudes. Further, it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working range involves only routine skill in the art. In re Aller, 105 USPQ 233. It has been held that discovering the optimum value of a result effective variable involves only routine skill in the Art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). A change in size is generally recognized as being within the level of ordinary skill in the art. In re Rose, 105 USPQ 237 (CCPA 1955). It has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex Parte Masham, 2 USPQ F.2d 1647 (1987).

### ***Conclusion***

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Pertinent arts of record relating to sound absorbing structures and units are disclosed in the PTO-892.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeremy Luks whose telephone number is (571) 272-


Art Unit: 2837

2707. The examiner can normally be reached on Monday-Thursday 8:30-6:00, and alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lincoln Donovan can be reached on (571) 272-1988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jeremy Luks  
Patent Examiner  
Art Unit 2837  
Class 181

  
LINCOLN DONOVAN  
SUPERVISORY PATENT EXAMINER